



**SERIE AM-13
REVERSIBLE SINGLE-PHASE
AUTOTRANSFORMERS
110/240VAC**

Dry type transformer.

Norms: According to EN 61558-2-13.

Reversible Voltages 110/240 VAC.

Windings: Class H (180°).

Insulation: Class B (130°).

Intermittent use.

Winding without galvanic isolation.

Frequency: 50-60 Hz.

Degree of protection: IP-20.

Made with protective metal covers painted with epoxy resin.

Class I.

Not resistant to short-circuits.



Core protected against corrosion.

Models from 300 VA to 1.000 VA with metal handle.

Models from 2.000 VA to 5.000 VA are manufactured with screw connection terminals.

***Under demand, they can be manufactured in other powers and different voltages of primary and secondary**

***All specifications listed in this brochure are subject to change without notice.**



30/60 Min

POTENCIA POWER	CODIGO CODE	TENSIONES VOLTAGES	CORRIENTES CURRENTS (A)	MODELO MODEL	EMBALAJE PACKING
			240V	110V	
100 VA	AM-13001	240/110 V AC	0,4A	0,9A	I 10
300 VA	AM-13003	240/110 V AC	1,2A	2,7A	I 8
500 VA	AM-13004	240/110 V AC	2,1A	4,5A	I 8
750 VA	AM-13005	240/110 V AC	3,1A	6,8A	I 8
1000 VA	AM-13006	240/110 V AC	4,2A	9,1A	I 6
1500 VA	AM-13007	240/110 V AC	6,2A	13,6A	I 4
2000 VA	AM-13008	240/110 V AC	8,3A	18,2A	II 4
2500 VA	AM-13009	240/110 V AC	10,4A	22,7A	II 2
3000 VA	AM-13010	240/110 V AC	12,5A	27,3A	II 2
4000 VA	AM-13011	240/110 V AC	16,6A	36,3A	II 1
5000 VA	AM-13012	240/110 V AC	20,8A	45,4A	II 1

Bajo demanda se fabrican en diferentes tensiones y potencias (Máximo cuatro voltajes)

Other voltages arrangements available according to costumers requirements (maximum four voltages).

The **REVERSIBLE SINGLE-PHASE AUTOTRANSFORMERS PHONOVOX** are apparatus which have been designed chiefly for solving the problems which arise on connecting electrical apparatus for industrial and domestic use to networks of different voltage.

Raise or reduce the mains voltage in order to provide the necessary voltage to the equipments.



PHONOVOX

Polígono de Cogullada – C/. Benjamín Franklin, 8 – 50014 – Zaragoza

Email: info@phonovoxsa.com

Tel.: (+34) 976 470 911

*Todas las especificaciones indicadas en este documento podrán modificarse sin previo aviso
 *All specifications listed in this brochure are subject to change without notice.

يمكن للتغيير جميع الخصائص الموصوفة دون إشعار مسبق