



SERIE AM-25
REVERSIBLE SINGLE-PHASE
AUTOTRANSFORMERS
220/127VAC

Dry type transformer.

Norms: According to EN 61558-2-13.

Reversible Voltages 220/127 VAC.

Windings: Class H (180°).

Insulation: Class B (130°).

Intermittent use.

Winding without galvanic isolation.

Frequency: 50-60 Hz.

Made with protective metal covers painted with epoxy resin.

Class I.

Not resistant to short-circuits.

Core protected against corrosion.



Models from 300 VA to 1.000 VA with metal handle.

Models from 300 VA to 1.000 VA are supplied with American socket (127 V) and cable cord with British plug (220 V).

Models from 1.500 VA to 5.000 VA are manufactured with screw connection terminals.

***Under demand, they can be manufactured in other powers and different voltages of primary and secondary.**

***All specifications listed in this brochure are subject to change without notice.**



POTENCIA POWER	CODIGO CODE	TENSIONES VOLTAGES	CORRIENTE CURRENTS (A)		MODELO MODEL	DIMENSIONES DIMENSIONS		
			220V	127V		A mm.	B mm.	C mm.
300 VA	AM-25991M	220/127 V AC	1,35A	2,36A	I	96	80	127
500 VA	AM-25992M	220/127 V AC	2,27A	3,93A	I	96	80	137
1000 VA	AM-25993M	220/127 V AC	4,50A	7,87A	I	108	90	170
1500 VA	AM-25994	220/127 V AC	6,80A	11,81A	II	126	106	175
2000 VA	AM-25995	220/127 V AC	9,09A	15,74A	II	150	126	165
3000 VA	AM-25996	220/127 V AC	13,60A	23,62A	II	150	126	220
5000 VA	AM-25997	220/127 V AC	22,72A	39,37A	II	180	150	230

Bajo demanda se pueden fabricar en otra potencias y distintos voltajes de primario y secundario

Other voltages (primary and secondary) and other power available upon request.

The **REVERSIBLE SINGLE-PHASE AUTOTRANSFORMERS PHONOVOX** are apparatus which have been designed chiefly for solving the problems which arise on connecting electrical apparatus for industrial and domestic use to networks of different voltage.

Raise or reduce the mains voltage in order to provide the necessary voltage to the equipments.



PHONOVOX

Polígono de Cogullada – C/. Benjamín Franklin, 8 – 50014 – Zaragoza

Email: info@phonovoxsa.com

Tel.: (+34) 976 470 911

*Todas las especificaciones indicadas en este documento podrán modificarse sin previo aviso
 *All specifications listed in this brochure are subject to change without notice.

يمكن للتغيير جميع الخصائص الموصوفة دون إشعار مسبق