



SERIE TP-00 SAFETY TRANSFORMERS FOR SWIMMING POOL LIGHTING IP-00

Safety transformer

Manufactured according to the standard 61558-2-6

Transformer with circuit separation.

Optional: Protected against overloads and overheat by a built in thermal protector with self resetting system.

Optional :Electrostatic screen between primary and secondary windings.

Connection terminal for grounding.

Transformer for indoor built-in use.

Complete varnish coating for insulation and corrosion protection.

Degree of Protection: **IP00**

Class I.

Terminals protected against electric shocks.

Temperature: 40 °C.

Insulation Class B (130 °C).

Windings: Class H (180 °C).

Dielectric Strength (Primary/Secondary): 3.500V.

Dielectric Strength (Primary/ Mass): 1.800V.

Galvanic isolation between primary and secondary.


Frequency: 50/60 Hz.

Primary Voltage: 230V AC

Secondary Voltage: 12V AC or 12-13-14V AC (Voltage adjustments in the primary)

*** Different powers and other voltages in primary and/ or secondary available under request.**

***All specifications listed in this brochure are subject to change without notice**



- Se pueden diseñar con los requisitos del cliente



POTENCIA POWER	CODIGO CODE	TENSION ENTRADA PRIMARY VOLTAGE	TENSION SALIDA SECONDARY VOLTAGE	INTENSIDAD SECUNDARIO SECONDARY CURRENT	DIMENSIONES DIMENSIONS		
					A mm	B mm	C mm
50 VA.	TP-00101	230 V.	12 V.	4,16 A.	136	86	135
100 VA.	TP-00102	230 V.	12 V.	8,33 A.	136	86	135
150 VA.	TP-00103	230 V.	12 V.	12,50 A.	136	86	135

Bajo demanda se pueden fabricar en otras potencias y distintos voltajes de primario y secundario
Other voltages (primary and secondary) and other power available upon request.

PHONOVOX

Polígono de Cogullada
C/. Benjamín Franklin, 8
50014 Zaragoza

Email: info@phonovoxsa.com

Tel.: (+34) 976 470 911

Fax: (+34) 976 473 301

*Todas las especificaciones indicadas en este documento podrán modificarse sin previo aviso
*All specifications listed in this brochure are subject to change without notice.

يمكن للتغيير جميع الخصائص الموصوفة دون إشعار مسبق